

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SECLIRA® PRESSURISED INSECTICIDE

ACTIVE CONSTITUENT: 5 g/kg DINOTEFURAN

PROPELLANT: DIMETHYL ETHER CARBON DIOXIDE



For the control of ants, cockroaches, fleas, bed bugs, flies, mosquitoes, pill bugs, house crickets, spiders and stored product pests in domestic, industrial and public health situations.

IMPORTANT: READ THIS LEAFLET BEFORE USING THIS PRODUCT

NET CONTENTS: 400g, 500g, 567g, 600g

BASF Australia Ltd ABN 62 008 437 867 Level 12, 28 Freshwater Place Southbank VICTORIA Website: <u>pest-control.basf.com.au</u>

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 033 111
TOLL FREE-ALL HOURS-AUSTRALIA WIDE

APVMA Approval No.: 83032/131548

® Registered trademark of BASF

DIRECTIONS FOR USE

| PEST | CRITICAL COMMENTS |
|-------------------------|---|
| | Spray from a distance of 20-30cm. For spot application, apply directly onto pest for a 1-2 |
| | second burst. For crack and crevice or surface treatment, spray across surface at rate of |
| | 60cm/1 sec spray. |
| Cockroaches and Ants | Apply onto surfaces and into cracks and crevices where insects may be harbouring, living and breeding for up to 3 months residual control. Apply as a surface application up to but not exceeding the point of run off. |
| | Use crack and crevice nozzle to direct spray into cracks, crevices and other hard to reach places. |
| | Live activity can be treated as a spot treatment. |
| | Carpets should have a small hidden area sprayed and checked for any discolouration before widespread use. |
| Bed bugs | Apply directly onto bed bug activity as a spot treatment or as a surface treatment to skirting boards, carpet edge, cracks, crevices, in and behind bed heads and bed frames, bedside tables and cupboards. |
| | An IPM approach should be followed for the control of bed bugs. For more information refer to the Code of Practice for the Control of Bed bug Infestations in Australia. |
| Flies | Apply to surfaces where flies are likely to rest. For outdoor fly control, apply to surfaces where flies tend to be a nuisance. SECLIRA PRESSURISED INSECTICIDE can also be applied directly as a spot treatment. |
| Stored Product Pests | The use of this product in the control of Stored product pests should be considered part of an integrated strategy to prevent development of insect populations. Best results will be obtained where good hygiene is maintained. Infested areas should be cleaned prior to application and regularly cleaned thereafter to reduce food sources for pests. |
| | When treating for beetle pests pay special attention to sheltered areas such as cracks and crevices and in and around shelves. Adult moths can be controlled by applying this product to walls and surfaces where the flying adult moths come to rest. |
| | DO NOT apply to food or onto food preparation areas. Best results are achieved when treating non-porous surfaces. |
| Mosquitoes | Apply onto surfaces where mosquitoes settle. Apply directly to live activity as a spot treatment. |
| Pill Bugs (slaters) | Apply directly onto slaters or pill bugs as a spot treatment. |
| House crickets | Apply directly onto house crickets as a spot treatment. |
| Spiders | Apply directly onto spiders as a spot treatment. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS APPLICATION

This product is ideally suited to be used with the System III Pressurised dispenser unit. If using without System III, hold container upright whilst spraying. After use with the System III Pressurised Dispenser, ensure that the valve is closed and that the hose line is drained to avoid leaking.

SECLIRA PRESSURISED INSECTICIDE is not a synthetic pyrethroid and can be used to control insect pests in internal and external situations in and around domestic, commercial and public buildings: including food processing facilities, hospitals and schools. Spray from a distance of 20-30 cm directly onto insects or spray onto surfaces for residual protection as per the Directions for Use table. Pay particular attention to harbourages and cracks and crevices. SECLIRA PRESSURISED INSECTICIDE will control insects within a few days of application. Apply SECLIRA PRESSURISED INSECTICIDE to clean surfaces, free of dirt, dust, oils, grease and other residues. Surfaces should have a small hidden area sprayed and checked for any discoloration before widespread use. Avoid contact with food, food utensils and food preparation surfaces. These items should be removed or covered prior to application where a risk of contamination exists. Do not spray moving parts of any machinery, electric motors or switchgear.

INSECTICIDE RESISTANCE WARNING

GROUP 4A INSECTICIDE

For insecticide resistance management SECLIRA PRESSURISED INSECTICIDE is a Group 4A insecticide. Some naturally occurring insect biotypes resistant to SECLIRA PRESSURISED INSECTICIDE and other Group 4A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if SECLIRA PRESSURISED INSECTICIDE or other Group 4A insecticides are used repeatedly. The effectiveness of SECLIRA PRESSURISED INSECTICIDE on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses that may result from failure of SECLIRA PRESSURISED INSECTICIDE to control resistant insects. For further information on managing insecticide resistance contact your local supplier or BASF Australia Ltd representative.

PRECAUTIONS

Keep out of reach of children.

DO NOT apply as a space (aerosol) spray.

DO NOT apply directly to food, food utensils, food packaging or food preparation surfaces.

DO NOT spray pet food and water bowls and containers.

BEWARE: Deliberately sniffing or inhaling concentrated spray can be harmful or fatal.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic organisms. Cover fish tanks during spraying. DO NOT contaminate watercourses, ponds, wetlands, reserves or parks with product or used containers.

STORAGE AND DISPOSAL

Keep in a cool place out of the sun and out of the reach of children. DO NOT puncture or incinerate this can, even when empty. Recycle empty cans if a facility is available or place used can in household rubbish.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet.

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non excludable conditions or warranties of the Competition and Consumer Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

APVMA Approval Number: 83032/131548

Batch No:

Date of Manufacture:

Seclira is a Registered Trademark of BASF © Copyright, 2021

BASF Australia Ltd ABN 62 008 437 867 Level 12, 28 Freshwater Place Southbank VICTORIA 3006 Website: pest-control.basf.com.au

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE-ALL HOURS-AUSTRALIA WIDE.