

# Amdro® Granular Ant Bait

Insecticide

No queen. No colony.

An effective granular bait insecticide that controls ants the only sure way - *by eliminating the Queen*

- Carried by worker ants into the nest and consumed by the queen to achieve complete colony elimination
- Highly palatable bait matrix attractive to target species
- Low toxicity to non-target species and able to be used in sensitive areas where traditional insecticide sprays are not suitable
- Powerful on target ants, including the queen, at low dose/bait rates
- Approved for use on gardens, lawns, parks, golf courses, sports grounds, driveways, paths, patios and other non-crop land

For more information on Amdro® Granular Ant Bait, visit [pest-control.basf.com.au](http://pest-control.basf.com.au) or contact your local BASF representative on **1800 558 399**

 **BASF**  
We create chemistry

# Amdro® Granular Ant Bait

Insecticide

## No queen. No colony.

While the queen ant lives, the colony can be rebuilt. Amdro® Granular Ant Bait is carried back into the nest as food and shared with other ants, including the queen. This ensures control of the whole ant colony. While fast acting to ants including specific destructive ant species, namely Singapore Ant, Coastal Brown Ant, Tropical Fire Ant (Ginger Ant), Red Imported Fire Ant and Green-head Ant, Amdro® Granular Ant Bait has a relatively low toxicity to humans and other mammals.

Situation	Pest	Rate	Critical Comments
Gardens, golf courses, Industrial areas, lawns, parks, turf, sports grounds and other non-crop land and non-food bearing nursery stock.	Singapore ant ( <i>Monomorium destructor</i> ) Costal brown ant ( <i>Pheidole megacephala</i> ) Tropical fire and or Ginger ant ( <i>Solenopsis geminata</i> ) Greenhead ant ( <i>Rhytidoponera spp</i> ) Red imported fire ant ( <i>Solenopsis invicta</i> )	2.5 kg/ha or 5 g/20m <sup>2</sup>	<b>Broadcast method (all ant types):</b> Evenly distribute granules over infested area using a hand held rotary granule spreader or equivalent applicator or gloved hand. <b>Individual mound treatments (Red imported fire ant):</b> This treatment method should be used when fast control is required, desirable ant species are present throughout the treatment area and there are less than 50 fire ant nests or colonies per hectare. Sprinkle 50 g (approximately 5 tablespoons) of product immediately around each mound. Apply in late afternoon when ants are active. Re-treat when ant activity becomes troublesome again. See GENERAL INSTRUCTIONS on label for description of ants.

Refer to the product label for full directions and use table.

## Packaging

Pack size 454g.



For more information on Amdro® Granular Ant Bait, visit [pest-control.basf.com.au](http://pest-control.basf.com.au) or contact your local BASF representative on **1800 558 399**

### ALWAYS READ AND FOLLOW LABEL DIRECTIONS BEFORE USING ANY PRODUCT IN THIS FACT SHEET.

This fact sheet is intended as general advice. Disclaimer: The information submitted in this publication is based on current BASF knowledge and experience. In view of the many factors that may affect its application, this data does not relieve the user from carrying out their own tests. The data does not imply assurance of certain properties or of suitability for a specific purpose. It is the responsibility of the user to ensure that any proprietary rights and existing laws and legislation are observed.