

Safety data sheet

Page: 1/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: **Termidor® Foam Termiticide & Insecticide**

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

1. Substance/preparation and manufacturer/supplier identification

Product name: Termidor® Foam Termiticide & Insecticide

Use: insecticide

Manufacturer/supplier: BASF Australia Limited (ABN 62 008 437 867) Level 23, 40 City Road, Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600

Emergency information: BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture: Hazardous to the aquatic environment - acute: Cat.2 Hazardous to the aquatic environment - chronic: Cat.1 Aerosols: Cat.1

Label elements and precautionary statement:



Signal Word: Danger

Page: 2/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: Termidor® Foam Termiticide & Insecticide

Version: 4.0

(30644389/SDS_CPA_AU/EN)

Date of print: 12.11.2024

Hazard Statement: H222 H401 H410 H229	Extremely flammable aerosol. Toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Pressurized container: May burst if heated.		
Precautionary Statemen	t:		
P101	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
P103	Read carefully and follow all instructions.		
Precautionary Statements (Prevention):			
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P211	Do not spray on an open flame or other ignition source.		
P251	Do not pierce or burn, even after use.		
P260	Do not breathe spray.		
Precautionary Statements (Response):			
P391	Collect spillage.		
Precautionary Statemen	ts (Storage):		
P410 + P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122°F.		
Precautionary Statements (Disposal):			
P501	Dispose of contents and container to hazardous or special waste collection point.		
Other hazards which do not result in classification: See section 12 - Results of PBT and vPvB assessment.			
If applicable information is provided in this section on other hazards which do not result in			

classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Substance nature: mixture

crop protection product, insecticide

Hazardous ingredients

Page: 3/12

BASF Safety data sheet			
Date / Revised: 16.11.2023			
Product: Termidor® Foam Termiticide & Insecticide			

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

Fipronil	Content (W/W): 0.005 % CAS Number: 120068-37-3	Acute Tox.: Cat. 2 (Inhalation - dust) Acute Tox.: Cat. 3 (oral) Acute Tox.: Cat. 3 (dermal) STOT RE (Central nervous system): Cat. 1 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1 M-factor acute: 1000 M-factor chronic: 10000
propane	Content (W/W): < 5 % CAS Number: 74-98-6	Flam. Gas: Cat. 1A Press. Gas: Cat. Liquef. Gas
butane	Content (W/W): < 5 % CAS Number: 106-97-8	Flam. Gas: Cat. 1A Press. Gas: Cat. Liquef. Gas

4. First-Aid Measures

General advice: Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air.

On skin contact: Wash thoroughly with soap and water

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion: Rinse mouth and then drink 200-300 ml of water.

Note to physician: Symptoms: (Further) symptoms and / or effects are not known so far Hazards: (Further) symptoms and / or effects are not known so far Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media: water spray, dry powder, foam, carbon dioxide

Specific hazards:

carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride, hydrogen bromide, nitrogen oxides, halogenated compounds, sulfur oxides, silica compounds

Page: 4/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: Termidor® Foam Termiticide & Insecticide

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray.Use personal protective clothing.Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil.Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

Protect from temperatures above: 40 °C

The packed product must be protected against exceeding the indicated temperature.

Page: 5/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: Termidor® Foam Termiticide & Insecticide

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

8. Exposure controls and personal protection

Components with occupational exposure limits

propane, 74-98-6; (ACGIHTLV) D: Simple asphyxiant, EX: Explosion hazard

butane, 106-97-8;

TWA value 1,900 mg/m3 ; 800 ppm (AU NOEL) STEL value 1,000 ppm (ACGIHTLV) Explosion hazard.

Personal protective equipment

Respiratory protection: Respiratory protection not required.

Hand protection: Hand protection not required.

Eye protection: Eye protection not required.

Body protection: Body protection not required.

General safety and hygiene measures: Do not breathe vapour/spray. Wearing of closed work clothing is recommended. Wash contaminated clothing before reuse. Before eating, drinking, or smoking, wash face and hands with soap and water.

9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	liquid off-white odourless not applicable, odour not perceivable
pH value:	approx. 5 - 7 (24 °C)
Melting point:	approx. 0 °C Information applies to the solvent.
Boiling point:	approx43 - 13 °C The statements are based on the properties of the individual components.

Page: 6/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: Termidor® Foam Termiticide & Insecticide

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

Flash point:	approx104 °C The statements are based on the properties of the individual components.
Evaporation rate:	not applicable
Flammability (solid/gas): Lower explosion limit:	not applicable
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Ignition temperature:	approx. 287 °C The product has not been tested. The statement has been derived from the properties of the individual components.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.
Fire promoting properties	
Vapour pressure:	approx. 4,826 hPa (21.4 °C) Information applies to the solvent.
Density:	approx. 1 g/cm3 (20 °C)
Relative vapour density (
Solubility in water: Partitioning coefficient n-	dispersible octanol/water (log Pow): not applicable
Viscosity, dynamic:	27.83 mPa.s (24.9 °C)

Page: 7/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: Termidor® Foam Termiticide & Insecticide

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid: See SDS section 7 - Handling and storage.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

Substances to avoid: strong acids, strong bases, strong oxidizing agents

Hazardous reactions: No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability: The product is stable if stored and handled as prescribed/indicated.

Reactivity: No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data: LD50rat (oral): > 5,000 mg/kg

Acute inhalation toxicity

LC50 rat (by inhalation): > 5.09 mg/l 4 h No mortality was observed. An aerosol was tested.

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Symptoms

(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects: Not irritating to eyes and skin.

Page: 8/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: **Termidor® Foam Termiticide & Insecticide**

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization: No sensitizing effect.

Experimental/calculated data: Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of carcinogenicity:

In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Page: 9/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: **Termidor® Foam Termiticide & Insecticide**

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Assessment of repeated dose toxicity: Causes mortality and signs of neurotoxicity through prolonged or repeated exposure.

Aspiration hazard

not applicable

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity: Toxic to aquatic life. Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Toxicity to fish: LC50 (96 h) 0.0852 mg/l, Lepomis macrochirus

Information on: Fipronil Aquatic invertebrates: EC50 (48 h) 0.19 mg/l, Daphnia magna

LC50 (48 h) 0.00017 mg/l, Mysidopsis bahia

Information on: Fipronil Aquatic plants: EC50 (72 h) 0.103 mg/l (growth rate), Scenedesmus subspicatus

No observed effect concentration (72 h) >= 0.14 mg/l, Pseudokirchneriella subcapitata

EC50 (14 d) > 0.16 mg/l (biomass), Lemna gibba

No observed effect concentration (14 d) > 0.16 mg/l (biomass), Lemna gibba

Information on: Fipronil Chronic toxicity to fish: No observed effect concentration (35 d) 0.0029 mg/l, Cyprinodon variegatus

Page: 10/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: Termidor® Foam Termiticide & Insecticide

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

Information on: Fipronil Chronic toxicity to aquatic invertebrates: No observed effect concentration (28 d), 0.000008 mg/l, Mysidopsis bahia

Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Assessment transport between environmental compartments: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil Bioaccumulation potential: Bioconcentration factor: 321, Lepomis macrochirus Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Page: 11/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: **Termidor® Foam Termiticide & Insecticide**

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

Emptied gas pressure vessels must not be opened.

14. Transport Information

Domestic transport: UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards:	UN 1950 AEROSOLS (FIPRONIL, HYDROCARBON PROPELLENT) 2.1, EHSM Not applicable yes	
Special precautions for user:	None known	
Further information IERG Number:49		
Sea transport IMDG		
UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards:	UN 1950 AEROSOLS (FIPRONIL, HYDROCARBON PROPELLENT) 2.1, EHSM Not applicable yes Marine pollutant: YES	
Special precautions for user:	EmS: F-D; S-U	
Air transport IATA/ICAO		
UN number or ID number: UN proper shipping name:	UN 1950 AEROSOLS, FLAMMABLE (FIPRONIL, HYDROCARBON	
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	PROPELLENT) 2.1 Not applicable No Mark as dangerous for the environment is needed None known	

15. Regulatory Information

Other regulations

Page: 12/12

BASF Safety data sheet Date / Revised: 16.11.2023 Product: **Termidor® Foam Termiticide & Insecticide**

Version: 4.0

(30644389/SDS_CPA_AU/EN) Date of print: 12.11.2024

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Not Scheduled

APVMA Approval No: 70346

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.