



We create chemistry

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Seclira[®]

Pressurised Bait

ACTIVE CONSTITUENT: 10 g/kg DINOTEFURAN
PROPELLANT: DIMETHYL ETHER

GROUP	4A	INSECTICIDE
-------	-----------	-------------

For the control of nuisance flies, cockroaches and ants in domestic, commercial, industrial and agricultural situations as specified in the Directions for Use Table.

IMPORTANT: READ THE SAFETY DIRECTIONS BEFORE USING THIS PRODUCT

CONTENTS: 400g to 600g

BASF Australia Ltd
ABN 62 008 437 867
Level 23, 40 City Road, Southbank VICTORIA 3006
pest-control.basf.com.au

® Registered trademark of BASF

APVMA Approval No.: 83016/148067

AE	FORMULATION TYPE Aerosol
-----------	------------------------------------

RESTRAINTS

- DO NOT apply bait in locations accessible to domestic animals or livestock.
- DO NOT apply in a manner which may cause contamination of animal feed.
- DO NOT apply to organic material including manure or refuse heaps.
- DO NOT apply spray treatment outdoors if rain is expected within 48 hours.

DIRECTIONS FOR USE

SITUATION	PEST	CRITICAL COMMENTS
<p>SECLIRA PRESSURISED BAIT is not a conventional residual spray and therefore does not work by pests simply contacting a sprayed surface. The attractants within this bait mean that pests will be attracted to and subsequently attempt to feed on treated surfaces; they will then pick up a lethal dose. Because of this bait function, only portions of vertical surfaces need to be treated.</p>		
<p>Domestic, commercial, industrial, public buildings and facilities including but not limited to (Abattoirs, poultry farms, animal housing, garbage containers, food processing plants) and external areas associated with such establishments.</p>	<p>Nuisance flies including: Adult houseflies (<i>Musca domestica</i>) and Lesser houseflies (<i>Fannia canicularis</i>), and Sheep blowflies (<i>Lucilia cuprina</i>)</p>	<p>Spray surfaces where flies rest. Best results are achieved when applied to non-porous surfaces. Area Treatment: Point can toward target area from a distance no further than 30 cm and press down actuator. Make a light application at a rate of 60 cm/sec and avoid run off or dripping from targeted area. Area treatments are effective where flies congregate, roost and feed, which may include garbage receptacles and lids, refuse containers, under tables and benches, recycling bins, dumpsters, behind vending machines, plant/flowerpots, under bars, eave areas, walls and/or areas where flies like to congregate or infest. DO NOT apply bait in areas that are frequently cleaned. This product will not adhere to surfaces that are dusty or greasy. Reapply when reinfestation occurs. Band Treatment: Spray from a distance of no further away from targeted area than 15 cm to create a band application at a rate of 60 cm/sec. Band applications may be made to areas such as beam edges, receptacle edges, table or bench edges, around windows and window frames, under narrow eaves and other areas where there is a narrow area where flies land, roost and/or are likely to infest. Reapply when reinfestation occurs. Note: Around feedlot manure heaps DO NOT apply bait on manure heaps or dispose of treated targets with manure. See also Notes on Application below.</p>
	<p>Cockroaches and Ants</p>	<p>Apply onto surfaces or into cracks and crevices where insects may be traversing, harbouring, feeding and breeding. Apply as a surface application up to but not exceeding the point of run off. Spray from a distance of 15 cm from the targeted area to create a band application at a rate of 30-60 cm/sec. DO NOT apply bait in areas that are frequently cleaned. This product will not adhere to surfaces that are dusty or greasy. Reapply when reinfestation occurs.</p>

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

SECLIRA® PRESSURISED BAIT can be applied in many locations. SECLIRA® PRESSURISED BAIT should be applied to surfaces or into cracks and crevices where insects may be traversing, harbouring and/or feeding such as walls, fences, under eaves, garbage bins and cabinetry. Best results are achieved when applied to non-porous surfaces. This product is not designed to be applied directly to soil, compost, manure heaps or edible refuse. Avoid cool or windy locations because pests prefer warm sites for resting. Time applications to begin at the start of the season before pest populations have reached their peak.

Pest control should be considered part of an integrated strategy which incorporates good sanitation, appropriate management of breeding sites (e.g. manure and other decaying organic matter) and exclusion measures for preventing access of pests into internal areas.

Notes on Application: Avoid applying this product to dusty/dirty surfaces. DO NOT spray the moving parts of any machinery, electric motors or switchgear with the water-based product. To avoid unwanted staining of interior and exterior surfaces, a small hidden area should be sprayed and checked for any discolouration before widespread use.

Re-baiting: Re-apply bait when pests are no longer visibly affected in areas where the product has been applied (usually after about 4 to 6 weeks). For season-long control, monthly applications may be required, depending on the situation and duration of the pest season.

INSECTICIDE RESISTANCE WARNING

GROUP	4A	INSECTICIDE
--------------	-----------	--------------------

For insecticide resistance management SECLIRA PRESSURISED BAIT is a Group 4A insecticide. Some naturally occurring insect biotypes resistant to SECLIRA PRESSURISED BAIT and other Group 4A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if SECLIRA PRESSURISED BAIT or other Group 4A insecticides are used repeatedly. The effectiveness of SECLIRA PRESSURISED BAIT on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses that may result from failure of SECLIRA PRESSURISED BAIT to control resistant insects. For further information on managing insecticide resistance contact your local supplier or BASF Australia Ltd representative.

PRECAUTIONS

Keep out of reach of children.

DO NOT allow contact with raw or processed food, utensils, food preparation surfaces or packaging.

DO NOT use as a space (aerosol) spray.

DO NOT apply to surfaces accessible to children.

DO NOT apply past the point of run-off.

DO NOT spray directly on animals, feed or drinking supplies, or on milking equipment.

BEWARE: Deliberately sniffing or inhaling concentrated spray can be harmful or fatal.



We create chemistry

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate watercourses with the chemical or used containers. Clean up spillage promptly.

STORAGE AND DISPOSAL

Keep in a cool place out of the sun and out of the reach of children. DO NOT puncture or incinerate this can, even when empty. Recycle empty cans if a facility is available or place used can in household rubbish.

SAFETY DIRECTIONS

Wash hands after use.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. New Zealand 0800 764 766.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet.

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd ABN 62008437867 or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non-excludable conditions or warranties of the Competition and Consumer Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

APVMA Approval No: 83016/148067

Seclira is a Registered Trademark of BASF.

© BASF 2026

Batch No:

Date of Manufacture:

BASF Australia Ltd

ABN 62 008 437 867

Level 23, 40 City Road,

Southbank VICTORIA 3006

pest-control.basf.com.au



We create chemistry

**FOR SPECIALIST ADVICE IN AN
EMERGENCY ONLY
PHONE 1800 803 440
TOLL FREE - ALL HOURS - AUSTRALIA WIDE**

GHS STATEMENTS

Flammable aerosol. May cause drowsiness or dizziness. May cause respiratory irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects. Pressurized container: May burst if heated. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read carefully and follow all instructions. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing mist or vapour or spray. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Call a POISON CENTER or physician if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F. Store locked up.