

POISON

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

Fendona[®] Plus 60 SC **Insecticide**

ACTIVE CONSTITUENT: 60 g/L ALPHA-CYPERMETHRIN

GROUP	3A	INSECTICIDE
-------	-----------	-------------

A residual insecticide for control of ants, cockroaches, silverfish, fleas, flies, mosquitos, bed bugs, meal moths and spiders in domestic, industrial, commercial, and public health situations and the control of litter beetle in poultry sheds.

**IMPORTANT: READ THE SAFETY DIRECTIONS BEFORE
USING THIS PRODUCT**

NET CONTENTS: 250 mL to 20 L

BASF Australia Ltd
ABN 62 008 437 867
Level 23, 40 City Road Southbank VICTORIA 3006
<https://pest-control.basf.com.au/>

® Registered trademark of BASF

APVMA Approval No.: 80739/149190



RESTRAINTS

DO NOT apply by fogging or misting equipment. For surface treatment only.

DO NOT use FENDONA PLUS 60 SC to control fleas on animals.

DO NOT apply using spraying equipment carried on the back of the user.

DIRECTIONS FOR USE

AREAS	PEST	RATE	CRITICAL COMMENTS
Domestic, industrial, commercial, public buildings and around agricultural buildings: - including food processing establishments, shops, restaurants factories, ships, offices, schools, store rooms, hospitals, barracks, private houses and external areas associated with such establishments.	Cockroaches Fleas, Flies, Silverfish, Spiders, Mosquitoes, Bed bugs, Indian Meal Moth.	Initial treatment and heavy infestations: 10 mL in 1 L water Maintenance treatment and light infestations: 5 mL in 1 L water	For crawling insects, apply as a coarse low pressure spray to areas where pests frequent. For flying insects, apply as a surface treatment using a fine spray to wet the surface. Apply 5L of diluted spray mix/100m² up to but not exceeding the point of run-off. For cockroach control, where the use of a spray is not suitable, a registered cockroach gel product such as Seclira® Gel Cockroach Bait or Goliath® Plus Gel Bait may be applied as per the registered label. For spider control, spray spiders, webbings and areas where spiders may hide directly. The treated webs should be left in place for at least 72 hours to increase efficacy, then removed for monitoring or any re-infestation. For flies and mosquitoes treat surfaces where flies and mosquitoes are observed to rest. For bedbugs treat bedframes, behind bed heads, bedside tables, cupboards cracks, crevices, carpet edge, and skirting boards. FENDONA® may also be applied to the edges and seems of the mattress, but do not treat the flat surface on which people sleep. An IPM approach should be followed for the control of bed bugs. For more information refer to the Code of Practice for the Control of Bed Bug Infestations in Australia. For Indian meal moth, following the removal of any food, animal feed and containers, apply to areas where pests are present. Add a non-ionic surfactant at the registered label rates to improve spreading on hard to wet surfaces.

AREAS	PEST	RATE	CRITICAL COMMENTS
Domestic, industrial, commercial, public buildings and around agricultural buildings: - including food processing establishments, shops, restaurants factories, ships, offices, schools, store rooms, hospitals, barracks, private houses and external areas associated with such establishments	Ants	Initial treatment, extended control and heavy infestations: 16 mL in 1 L water Maintenance treatment, short term control and light infestations: 9 mL in 1 L water	Follow the directions for use as per crawling insect treatment (above).
Poultry Sheds	Letter Beetle	Initial treatment and heavy infestations: 10 mL in 1 L water Maintenance treatment and light infestations: 5 mL in 1 L water	Treat when litter is being totally replaced. Remove old litter from shed, apply to send wall, ceiling and floor. DO NOT preplace until shed is thoroughly dry. Apply 5L of diluted spray mix/100m ² up to but not exceeding the point of run-off.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD

Before use in poultry sheds: remove animals and remove or cover all feed and water troughs.

GENERAL INSTRUCTIONS

FENDONA PLUS 60 SC Insecticide controls insects by contact action and ingestion. When applied as a surface spray, the product offers long residual activity. FENDONA PLUS 60 SC is of relatively low toxicity to humans and other animals and is suitable for use in domestic and public areas. FENDONA PLUS 60 SC Insecticide can be applied with conventional spray equipment used to control public health pests. To obtain best results, all surfaces should be treated, especially cracks, crevices and infested areas. A higher volume of water may be required on very absorbent surfaces. Apply to the point of run-off only. Shake or invert the container before opening. Fill the spray tank with half the volume of required water. Carefully measure the required amount of FENDONA PLUS 60 SC Insecticide in a graduated cylinder and add to the spray tank. Top up the remainder of the water and

agitate thoroughly. DO NOT store diluted insecticide. Prepare a fresh suspension as necessary. Clean sprayer out thoroughly after use.

INSECTICIDE RESISTANCE WARNING

GROUP	3A	INSECTICIDE
-------	----	-------------

For insecticide resistance management FENDONA PLUS 60 SC Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to FENDONA PLUS 60 SC Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if FENDONA PLUS 60 SC or other Group 3A insecticides are used repeatedly.

The effectiveness of FENDONA PLUS 60 SC Insecticide on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, BASF Australia Ltd accepts no liability for any losses that may result from the failure of FENDONA PLUS 60 SC Insecticide to control resistant insects. FENDONA PLUS 60 SC Insecticide may be subject to specific resistance management strategies. For further information, contact your local supplier or BASF Australia Ltd representative.

PRECAUTIONS

For surface treatment only. DO NOT spray using foggers or other equipment designed to create an aerosol. Avoid contact with food, food utensils, or places where food is prepared or stored. Before use - remove or cover all exposed food stuffs; cover all dishes and utensils, and places where food is prepared or stored. After use - thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes. Cover or remove bird cages or fish tanks during spraying.

RE-ENTRY PERIOD

DO NOT enter treated areas until spray has dried. If prior entry is required wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves. Clothing must be washed after each days use.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish. DO NOT contaminate ponds, waterways or drains with product or used container.

PROTECTION OF LIVESTOCK

DO NOT spray directly to livestock or near livestock food or water.

STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the containers below 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant local, state or territory government requirements. Do not burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. Facial skin contact may cause temporary facial numbness. Avoid contact with skin. When opening the container, preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. Wash hands after use. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Telephone 131126 Australia-wide.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet (SDS).

CONDITIONS OF SALE

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd ABN 62008437867 or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non-excludable conditions or warranties of the Competition and Consumer Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

APVMA Approval No.: 80739/149190

Batch No:

Date of Manufacture:

® = Registered trademark of BASF

© Copyright 2025

BASF Australia Ltd
ABN 62 008 437 867
Level 23, 40 City Road
Southbank VICTORIA 3006

**FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE-
ALL HOURS-AUSTRALIA WIDE**

GHS STATEMENTS

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read carefully and follow all instructions. Avoid release to the environment. Collect spillage.